

# Summary of Contents

---

Dedication . . . . .	22
Authors' Preface and Acknowledgements. . . . .	23
List of Symbols. . . . .	27

## Part I INTRODUCTION

### Chapter 1 OVERVIEW

1.1	Impact of Computation in Engineering – <i>the supersonic flying wing project</i> . . . . .	33
1.2	Computer Aided Experiment – <i>X-ray tomography etc.</i> . . . . .	34
1.3	Introductory Example – <i>a flat membrane, spring-supported and without tension.</i> . . . . .	35
1.4	The Structural Test-Rig and the Element Stiffness Matrix – <i>a physical introduction to reactions from earth</i> . . . . .	36
1.5	External Loads, and Element Assembly – <i>creation of the linear equations, by considering equilibrium</i> . . . . .	37
1.6	Shape Function Constraints and the Continuum – <i>does the finite element model approach the continuum with fine mesh?</i> . . . . .	39
1.7	Why Finite Elements? – <i>a practical view: they suit modern computers, they are widely used, they are usually successful, and they are convenient</i> . . . . .	40
1.8	Limitations – <i>They fail in difficult problems, or when the physical problem is inadequately defined</i> . . . . .	40
1.9	Typical Problem Sizes – <i>These cover a very wide spectrum</i> . . . . .	41
1.10	Styles of Numeracy, Ancient and Modern – <i>There still remains a place for simple rough calculations. The computer has adverse side-effects.</i> . . . . .	41

**Chapter 2 BASIC TECHNIQUES**

2.1	Energy – <i>damping and plastic dissipation, also flutter. The role of symmetric matrices</i> . . . . .	43
2.2	The Spring-supported Triangle – <i>The expression for strain energy yields the stiffness matrix <math>\mathbf{K}</math> with no further effort</i> . . . . .	45
2.3	The Continuously Supported Triangle <i>introduces the concept of numerical integration</i> . . . . .	46
2.4	Thin Beam – <i>The idea of shape functions</i> . . . . .	48
2.5	Rectangular Elements <i>are not useful in themselves</i> . . . . .	51
2.5.1	Shape Functions – <i>Rigid needles as constraint mechanisms. The pantograph for plane stress. A shape function is a vector, not always parallel to the controlling deflection</i> . . . . .	51
2.5.2	Element Stiffness – <i>The shape function matrix yields the <math>\mathbf{B}</math>-matrix, and the modulus matrix <math>\mathbf{D}</math> combines with it to give the stiffness</i> . . . . .	53
2.5.3	Numerical Integration – <i>The product-rules, based initially on the Simpson rule</i> . . . . .	55
2.6	The Gauss Rules <i>are about twice as effective as Simpson's rule etc.</i> . . . . .	58
2.7	The Taig Quadrilateral – <i>the first isoparametric element</i> . . . . .	58
2.7.1	Introduction – <i>Iso-P elements are approximately integrated, but this does not really matter in practice</i> . . . . .	58
2.7.2	The Shape Function Subroutine <i>uses the local variables <math>\xi</math> and <math>\eta</math>, both between <math>-1</math> and <math>1</math> inside the element</i> . . . . .	58
2.7.3	Construction of the Shape Function Subroutine – <i>The chain rule leads to the Jacobian matrix: by inverting this we deduce the <math>x</math>-<math>y</math> derivatives needed for the strains</i> . . . . .	60
2.7.4	The Stiffness Matrix – <i>To integrate, we need the Jacobian determinant</i> . . . . .	61

**Chapter 3 SHAPE FUNCTIONS**

3.1	The Shape Function Subroutine <i>Habit is central to our message. Life is easier. Fewer mistakes are made. Planning is straightforward. It should be universal</i> . . . . .	65
3.2	Eight-node Quadrilateral – <i>A useful element, especially with <math>2 \times 2</math> integration</i> . . . . .	66
3.3	Eight-node Brick – <i>Trilinear: similar to Taig's quadrilateral</i> . . . . .	67
3.4	Twenty-node Brick – <i>Another useful element, given a frontal solver</i> . . . . .	68
3.5	Three-node Triangle, <i>the Turner linear triangle introduces area coordinates</i> . . . . .	69

3.6	Six-node Triangle – <i>another useful iso-P element.</i> . . . . .	70
3.7	Fifteen-node Wedge – <i>mixes area coordinates with a Taig-like local coordinate. A useful element but not indispensable.</i> . . . . .	72
3.8	Ten-node Tetrahedron – <i>A special purpose iso-P element</i> . . . . .	73
3.9	The Iso-P Theorems <i>demonstrate convergence if the integration is exact. It is not, and we shall rely on the patch test</i> . . . . .	74

**Chapter 4 VARIOUS ELASTIC PROBLEMS**

4.1	The Versatility of Iso-P Elements – <i>Very little effort to code a new type of problem, given the shape function subroutine</i> . . . . .	77
4.2	The Elastic Membrane – <i>The only obstacle here is the differential geometry, but care is needed in using the element.</i> . . . . .	77
4.3	Thick Shell Element: the Membrane Stack – <i>A simple and versatile curved shell. The trick is to include the shear strain energy</i> . . . . .	79
4.4	Thick Plate Element – <i>The degenerate case: simple, but not competitive</i> . . . . .	84
4.5	Body of Revolution with Pressure Loads etc. – <i>A very widely used case</i> . . . . .	85
4.6	Body of Revolution under Torsion – <i>Little used, but it should be taught</i> . . . . .	86
4.7	Body of Revolution with Sinusoidal Loading – <i>Fourier analysis models any deformations: 3D approached via 2D</i> . . . . .	89
4.8	Helical Body of Revolution, General Case – <i>This is a larger problem computationally. Hermitian matrices are already worthwhile.</i> . . . . .	92
4.9	Beams in Torsion, <i>approached directly via the warping function, instead of St. Venant’s bubble analogy, which obscures the physics</i> . . . . .	94
4.10	Beams in Bending with Shear; <i>again warping is the nodal variable. Combining torsion with bending gives the shear centre etc.</i> . . . . .	95

**Chapter 5 NODAL LOADS FROM SHAPE FUNCTION ROUTINES**

5.1	Terminology and Practice – <i>We must use virtual work. With shape function constraints the nodal loads are indistinguishable from the actual loads</i> . . . . .	99
5.2	Point loads for initial instruction . . . . .	99
5.2.1	Uniform Beam – <i>The nodal loads from virtual work are surprisingly effective</i> . . . . .	99
5.2.2	Iso-P Membrane – <i>The nodal load from the shape function at the point of application, sometimes with a scalar product.</i> . . . . .	100
5.2.3	An Alternative to Fourier Analysis, <i>which is never needed. Structural arguments suffice.</i> . . . . .	101

5.3	Distributed Loads <i>are simply integrals of point loads</i> . . . . .	102
5.3.1	Numerical integration – <i>Linear pressure on a triangular membrane element</i> . . . . .	102
5.3.2	The Taig Quadrilateral – <i>In the event, this is merely a rehearsal of dimensional checks</i> . . . . .	103
5.3.3	Pore-Water Pressure <i>completely describes the action of the head of water on a dam</i> . . . . .	104
5.4	Distributed Surface Forces <i>are more difficult and involve some differential geometry</i> . . . . .	104
5.5	Misfits, Prestrains and Thermal Loads <i>are all treated as cases of forced assembly of parts whose geometry is wrong</i> . . . . .	106
5.6	Internal forces – <i>due to a stress field arising during iteration, are calculated with surprising ease in almost every case</i> . . . . .	107
5.7	A Program . . . . .	108
5.7.1	Generalities – <i>The program details are the major difficulty</i> . . . . .	108
5.7.2	The Package the User Sees <i>if he wants for example to add a new element</i> . . . . .	108
5.7.3	Dictionary for ELFILE, NFUNC, SHELL, STRESS, and PRINPL <i>to help the reader to understand the code</i> . . . . .	109
5.7.4	The Program ELFILE etc. – <i>in FORTRAN, with sufficient comments to understand at a first reading</i> . . .	111

## Part II ORGANIZATION

### Chapter 6 PROBLEMS OF MANAGEMENT

6.1	Ugly Facts <i>introduce the realities of being a chief programmer</i> . . .	119
6.2	Overview of the Finite Element Process <i>in the vernacular</i> . . . . .	120
6.2.1	Input – <i>the primitive approach, graphics terminals, and mesh generation routines</i> . . . . .	120
6.2.2	Computer Diagnostics <i>are indispensable, by consensus</i> .	121
6.2.3	Element Stresses – <i>during, or immediately after the back-substitution?</i> . . . . .	122
6.2.4	Output – <i>Editing and the problem of communicating efficiently</i> . . . . .	122
6.2.5	Systems <i>are now huge. Languages and the amateur programmer: diagnostics and the problem of inaccessible array dimensions</i> . . . . .	123
6.2.6	Minicomputers – <i>Small jobs at the right time are the most useful</i> . . . . .	123

6.3 A Panacea: Numerical Integration? – *Ease of programming, modularity, and superior bug-control. Other element formulators should learn* . . . . . 124

**Chapter 7 MATRIX-STRUCTURAL THEORY**

7.1 The Two Aspects of Wisdom – *It pays dividends to appreciate structural principles from both a matrix and a physical viewpoint.* . . . . . 127

7.2 Nodal Variables *are usually representable by arrows. If these are mutually perpendicular, they denote forces or deflections.* . . . . 127

7.3 Reactions from Earth *can confuse people. We re-emphasise the remedy in Section 1.4* . . . . . 128

7.4 Influence Surfaces *are particularly easy in matrix form.* . . . . . 128

7.5 Perturbation Theorem – *If a structure is perturbed, the increase in potential energy equals the strain energy of the perturbation.* . . . . . 129

7.6 Hierarchies of Idealisation – *Matrix inequalities: a mesh is absolutely stiffer than a subdivided mesh, sometimes* . . . . . 130

7.7 Elimination and Deletion *in matrices are duals in the structural sense. Elimination in a matrix equals deletion in its inverse* . . . . 131

7.8 Part-Inversion *means taking only certain variables across the equals sign. An important artifice preserves symmetry* . . . . . 132

7.9 Strain Energy Theorem – *Surprisingly, S due to forces and loads does not carry the complete information* . . . . . 133

7.10 Potential Energy Theorem – *However, the minimum U does* . . . . 133

7.11 Matrix Inequality Theorem – *A > B survives any part-inversion. It is valid to speak of structure A being stiffer than B.* . . . . . 134

7.12 Re-Design Theorem – *For a small change, keep the deflections the same, and the change in U is nearly correct* . . . . . 134

7.13 Hierarchies of Elements – *In particular it is valid to speak of formulation A being stiffer than B. Today, ‘flexible’ is usually good* . . . . . 135

7.14 Fracture Mechanics – *Van der Wahl’s forces, with a clear understanding of potential energy* . . . . . 135

7.15 Conclusions – *Matrix-structural theory and the intelligent use of finite elements* . . . . . 136

**Chapter 8 THE MATCHED SOLUTION**

8.1 Motivation – *Mainly it is to explain pathological cases to unsympathetic managers* . . . . . 137

8.2 Linear Triangle Theorem – *In a very general mesh, we give every node the correct displacement for an exact bending solution. This is also an exact finite element solution* . . . . . 137

8.3	Beam Theorem – <i>Provided the nodal forces are found by virtual work, the nodal slopes and deflections are exact in any assemblage of beams</i> . . . . .	139
8.4	Stretched Cable on an Elastic Foundation – <i>whose exact and finite element solution are compared analytically. The matched solution is a third case; we artificially give the nodes the ‘exact’ values. It bounds <math>U</math></i> . . . . .	140
8.5	Practical Examples of Intrinsic Errors <i>which have shocked people</i> . . . . .	142
8.5.1	Bilinear Elements in Bending <i>tend to lock because of spurious shears</i> . . . . .	142
8.5.2	Linear Triangles in Bending <i>tend to lock because of spurious hydrostatic stresses</i> . . . . .	143
8.5.3	Linear Triangles: Pressurised Sphere <i>is similar, but worse</i> . . . . .	145
8.6	Barlow Points for Better Stresses – <i>Some elements have points where the stresses are about ten times as accurate as at the corner nodes</i> . . . . .	146
8.7	Strategies <i>too numerous to summarise</i> . . . . .	147
 <b>Chapter 9 CONVERGENCE – THE PATCH TEST</b>		
9.1	The Many Traps – <i>Mathematical vs. useful convergence</i> . . . . .	149
9.2	Recommended Procedure – <i>Neighbouring elements have sensibly equal stresses with fine mesh</i> . . . . .	150
9.3	Nonstandard Beam Element, <i>with discontinuities of deflection, passes the patch test</i> . . . . .	151
9.4	The New Morality – <i>Anything goes, but to keep out of trouble one must be careful</i> . . . . .	154
9.5	The Iso-P Elements <i>owe their commercial existence to the patch test, but the argument is tricky and slightly perverse</i> . . . . .	157
9.6	Other Applications – <i>Technical exercises, no practical value</i> . . . . .	159
9.7	Interim Remarks on the Patch Test – <i>Many developments will come. It is not trivial</i> . . . . .	162
 <b>Chapter 10 DEVELOPING AND IMPLEMENTING ELEMENTS</b>		
10.1	The Need for Discipline <i>in programming extends far beyond the mere use of the patch test</i> . . . . .	163
10.2	Progressive Testing, Debugging and Validation of elements: <i>a thoughtfully conceived and practical sequence of computer runs</i> . . . . .	163
10.3	Mechanisms: The Witches’ Curse – <i>An exhaustive account of the arguments used the phenomena observed. Very few general principles emerge</i> . . . . .	166

10.4	Comparison Test by Eigenvalues – <i>given two formulations. Easy to do but difficult to interpret</i> . . . . .	170
10.5	Response of Repeating Patterns – <i>Occasionally useful, akin to the matched solution. The patch test is a special case giving zero error</i> . . . . .	171
10.6	The Programmer <i>responds to chapter 6</i> . . . . .	172
10.6.1	The Computing Environment <i>is typically very unsatisfactory, but if manufacturers exploit the new technology it could be nearly perfect</i> . . . . .	172
10.6.2	Teamwork, Documentation and Readability <i>are profitable</i> . . . . .	174
10.6.3	Effective Problem Solving – <i>A plan of campaign, successful in difficult programs. It also generates exceptionally good documentation</i> . . . . .	175
10.7	Summary – <i>We re-emphasise the need for self-discipline</i> . . . . .	177

**PART III SOLUTION TECHNIQUES**

**Chapter 11 HOW NODES HANG TOGETHER: FRONT OR BAND?**

11.1	Equation and Nodal Topology: <i>the key for the sparse solvers widely used for finite elements</i> . . . . .	181
11.2	Nodal Valency <i>denotes the number of elements to which a node connects</i> . . . . .	181
11.3	Extensive Meshes <i>with a simple pattern enable us to estimate the number of assembled variables per element etc.</i> . . . . .	182
11.4	Substructures and Isolation – <i>The ‘front’ insulates substructure A from a large force in substructure B</i> . . . . .	185
11.5	The Use of Substructures <i>is not generally recommended, although there are attractive possibilities</i> . . . . .	186
11.6	Front Solutions – <i>A creeping substructure engulfs each element in turn</i> . . . . .	186
11.7	Band Solutions <i>are illustrated by examples; no reference in this chapter to banded matrices</i> . . . . .	187
11.8	Estimates of the Frontwidth and Bandwidth <i>are proposed, for simple extensive meshes. Frontal solutions are imperative when there are midside nodes</i> . . . . .	188
11.9	Conclusions – <i>Band of Front? – There are other considerations, too numerous to summarise. Mostly, the front is better</i> . . . . .	189

**Chapter 12 ELEMENT ASSEMBLY AND EQUATION SOLVING**

12.1	The Case for Ignorance – <i>If a solver does everything one needs, leave well alone</i> . . . . .	191
------	---	-----

12.2	The Gauss-Jordan Solution – <i>A good introduction, but almost useless for practical purposes</i> . . . . .	191
12.3	Gauss Reduction – <i>the norm. Positive-definiteness helps, and hence also symmetry</i> . . . . .	193
12.4	Re-solution <i>without re-processing the coefficients</i> . . . . .	194
12.5	Cholesky Decomposition <i>as cultural background: seldom used</i> . . . . .	195
12.6	Prescribed Variables – <i>We advocate King’s technique exclusively</i> . . . . .	196
12.7	Housekeeping and Assembling Elements – <i>Both are purely a question of re-addressing. The band solution.</i> . . . . .	197
12.8	The Sliced-Band Techniques <i>could evolve today from the concept of virtual core</i> . . . . .	199
12.9	Triangular Matrices <i>to take advantage of symmetry</i> . . . . .	199
12.10	Simultaneous Assembly and Reduction <i>should be the norm.</i> . . . .	201
12.11	Strategies of Element Creation etc. – <i>Decisions on the solver may have wide ramifications</i> . . . . .	202
12.12	Simultaneous Back-Substitution and Output <i>is a profitable offshoot of Section 12.10</i> . . . . .	202
12.13	The Frontal Technique. . . . .	203
12.13.1	Historical Roots – <i>Who invented it?</i> . . . . .	203
12.13.2	Active Variables <i>are those whose coefficients must be in core.</i> . . . . .	204
12.13.3	Destinations <i>to enter the submatrix. An example makes the addressing clear.</i> . . . . .	206
12.13.4	Nodes with Different Numbers of Variables – <i>Hellen’s artifice for Semiloof etc.</i> . . . . .	208
12.13.5	Zeros within the Front <i>waste some time during reduction. Selection of address by longevity.</i> . . . . .	208
12.13.6	Numerical Example – <i>that of chapter 2.</i> . . . . .	210

## Chapter 13 A FRONTAL SOLUTION PACKAGE

13.1	Programs and People – <i>The computing environment, and the political system that governs it.</i> . . . . .	215
13.2	The Principles of Planning – <i>Maximise safety, and recognise the germs of muddle and confusion</i> . . . . .	215
13.3	Activities of the Subroutines – <i>How the program handles its data: a verbal flow-diagram, with details</i> . . . . .	216
13.4	The Problems of Housekeeping – <i>The economics and security of dynamic core storage; backing storage in solution and re-solution.</i> . . . . .	217
13.5	User Guide – <i>Data for a small Semiloof job</i> . . . . .	219
13.6	Dictionary of TYRANT, NURSE, INPUT, MATRON, DOCTOR, and FRONT – <i>i.e., the whole system apart from Semiloof</i> . . . . .	221

13.7 The Program TYRANT etc. – *with ample FORTRAN and textual comments throughout* . . . . . 223

13.8 Diagnostic Messages – *84 error conditions for the system give the typical user much food for thought* . . . . . 239

13.9 Fatal Errors from the Shape Function Subroutines – *the Semiloof shell and beam contribute 15 more* . . . . . 243

**Chapter 14 ROUND OFF ERRORS**

14.1 The Need for Criteria – *Different bugs require different weapons. Useful insight is always physical* . . . . . 245

14.2 Roundoff Forces *are large when large numbers are encountered. Their order of magnitude is estimated from a check substitution* . 246

14.3 The  $\mathbf{K}^{-1}\mathbf{R}$  Criterion *interprets the roundoff forces into approximate errors of deflection, stress, etc.* . . . . . 247

14.4 The Diagonal Decay Criterion *is cheap and easy, and gives an early warning* . . . . . 248

14.5 The Diagonal Energy Criterion: *the standard deviation of the strain energy. Not applicable with nonzero prescribed deflections. Most important, it leads to:* . . . . . 249

14.6 The Physical Causes of Roundoff – *namely large deflections and stiff elements* . . . . . 250

**Part IV TRENDS IN ELEMENT FORMULATION**

**Chapter 15 FURTHER MATRIX – STRUCTURAL THEORY**

15.1 Ends and Means – *Physical insight into hybrid elements, Lagrange multipliers etc* . . . . . 253

15.2 Levers to the Strain Energy Generators – *A general pseudo-physical model is introduced via a numerically integrated element* . . . . . 253

15.3 Surplus elastic constraints – *In a typical finite element structure, there are many more strain energy generators than are needed* . . . . . 257

15.4 The Pian Hybrids *follow directly* . . . . . 257

15.5 Lagrange Multipliers *also follow* . . . . . 258

15.6 The Right-Left Leverage System – *More polynomial terms than the shape functions need.* . . . . . 260

15.7 Surplus Responses: Applications. *Speculative and not very serious, but the implications are crucial* . . . . . 263

**Chapter 16 PLATE BENDING**

16.1 History of disasters, *but the pioneering days are past* . . . . . 265

16.2	The Quadratic Pyramid <i>with midside nodes, to introduce the plate theorem</i> . . . . .	265
16.3	Problems of Rotation . . . . .	267
16.3.1	The Bogner-Fox-Schmit rectangle <i>with an extra nodal variable, <math>w_{xy}</math></i> . . . . .	267
16.3.2	The Singularity Theorem – <i>without <math>w_{xy}</math> at the corners there must be a jump in the second derivatives: polynomials are out</i> . . . . .	268
16.4	Escapes . . . . .	269
16.4.1	Rejection of $w_{xy}$ <i>implies acceptance of a singularity. Complicated, disappointing</i> . . . . .	269
16.4.2	Acceptance of $w_{xy}$ <i>with Friends, i.e., <math>w_{xx}</math> and <math>w_{yy}</math>. All the second derivatives are nodal variables</i> . . . . .	270
16.4.3	Layered models with Discrete Kirchhoff <i>avoid the theorem, and perform well</i> . . . . .	271
16.4.4	Āian Hybrids – <i>Invented to meet the challenge of plates. We predict that hybrids will be universal.</i> . . . .	273
16.4.5	Stress Smoothing <i>sometimes gives hybrids. It leads directly to polynomial shape function routines, which is helpful. Pål Bergan's triangle and Nagwa's bubble</i> . . .	274
16.5	The Spin Off - <i>Plane and 3D elements benefit from techniques invented for plate bending.</i> . . . . .	277

## Chapter 17 SHELLS

17.1	Overview – <i>the foolish habit of regarding shells as super-plates</i> . . .	281
17.2	Problems of Real Shells – <i>The thin membrane is a better introduction</i> . . . . .	281
17.3	Razzaque's Smooth Shell Element – <i>A promising element, but limited</i> . . . . .	285
17.4	The Problem of Corners <i>and multiple junctions demand a different approach</i> . . . . .	286
17.5	The Answer: <i>to avoid nodal rotations at corners. An easy decision, but reinforcing beams present problems</i> . . . . .	287
17.6	Further Theory on the Problem of Rotation <i>refutes the idea of including in-plane rotation as a corner variable</i> . . . . .	289

## Chapter 18 THE SEMILOOF BEAM AND SHELL

18.1	The Future of the Shell Element <i>is assured, but in its present form it is too complicated.</i> . . . . .	291
18.2	Peculiarities of the Beam Element, <i>which initially has excess variables: these are condensed out</i> . . . . .	291

18.3	The Philosophy of the Beam <i>is subtle. It deforms in shear: the shell does not. Most of the nodal rotations are independent of the slopes of the shell.</i> . . . . .	292
18.4	Dictionary for BEAM, LOFBEM, SFRBEM, SCALAR and VECTOR, <i>comprising the whole beam package</i> . . . . .	293
18.5	The Program BEAM etc. <i>is not unduly difficult</i> . . . . .	295
18.6	Haloof, etc.: Dictionary <i>introduces the package for the shell</i> . . . . .	301
18.7	The Program, HALOOF etc. <i>is too complex for study unless the reader has special motivations.</i> . . . . .	304

**Part V TRENDS IN SOLUTION TECHNIQUES**

**Chapter 19 SYMMETRY**

19.1	Attitudes Towards Symmetry: <i>neither flippant nor over-serious.</i> . . . . .	317
19.2	The Pictorial Approach: <i>a surprisingly rigorous way to confirm or disprove our first impressions.</i> . . . . .	317
19.2.1	The Cantilever Beam <i>shows both the power and the pitfalls of the technique</i> . . . . .	317
19.2.2	The Thick Plate: <i>the need for careful drawing.</i> . . . . .	318
19.2.3	Finite Elements – <i>An infinite mesh is more rewarding than a symmetric finite mesh</i> . . . . .	319
19.3	Sectorial Symmetry – <i>Less general than in chapter 20</i> . . . . .	320
19.4	Vibration of a symmetric body <i>almost always exhibits symmetry or anti-symmetry in its normal modes</i> . . . . .	321
19.5	The Staircase Problem – <i>A difficult practical case: also a less familiar variant</i> . . . . .	322
19.6	Postlude: <i>attitudes again. Cost-effectiveness in avoiding expensive mistakes.</i> . . . . .	323

**Chapter 20 SECTORIAL SYMMETRY**

20.1	Evolution and the Classroom – <i>The assimilation of new techniques depends critically on effective teaching</i> . . . . .	325
20.2	Extended Shape Functions – <i>A deflection in one sector implies an equal deflection in the others</i> . . . . .	325
20.3	Hermitian Forms: <i>The General Case is derived by elementary trigonometry. The deflections at corresponding nodes in different sectors lie on a sine curve.</i> . . . . .	328
20.4	Worked Example – <i>simple and artificial, to inspire confidence.</i> . . . . .	330
20.5	Finite Fôurier Series – <i>Which terms are needed for an exact solution with general loading?</i> . . . . .	332
20.6	Further Possibilities – <i>Following Rashid, we speculate on iterative techniques</i> . . . . .	333

**Chapter 21 NONLINEARITY**

- 21.1 Medical Aspects – *Stress-induced diseases and programs that sometimes work. The two-bar paradox and other simple cases* . . . 335
- 21.2 Residual Forces: Strain-to-Stress Approach – *The most natural method* . . . . . 337
- 21.3 The Newton and Modified Newton Strategies – *M.N. is preferred to N. but not with over-relaxation by guesswork* . . . . . 338
- 21.4 The Stress-to-Strain Approach *cannot be justified, but is widely used. Almost every finite element job is structurally redundant* . . 339
- 21.5 Modified Newton with Search *is a very intelligent choice, given a suitable equation-solver* . . . . . 341
- 21.6 Conjugate Search Directions *add some complication and perform better. For some problems Rashid iteration is immensely attractive with conjugate Newton* . . . . . 342

**Chapter 22 EIGENVALUES AND NUMERICAL STABILITY**

- 22.1 Convergence of Iterative Procedures – *Breakdown of the error vector into its component eigenvectors* . . . . . 345
- 22.2 Rashid's Approach in Two Dimensions: *modified Newton should always succeed* . . . . . 346
- 22.3 Hermitian Matrices Made Real – *The same case in different guise* . . . . . 346
- 22.4 Body of Revolution with Cut-outs – *A controversial and interesting development from Fourier analysis* . . . . . 347
- 22.5 Bounds on the Eigenvalues – *The smallest eigenvalue of the smallest element often bounds the eigenvalues of the assemblage* . . . . . 349
- 22.6 Plasticity – *But often we must consider the extremes of the modulus matrix, or of some other local material property, to predict whether modified Newton will succeed* . . . . . 350
- 22.7 Time Marching, Instability – *The roughest estimates of the bounds are good enough for trouble-shooting* . . . . . 351
- 22.8 Time Marching and Noise *is more insidious. We can estimate rough die-away rates or, guided by the scalar case, we can recommend different formulae.* . . . . . 353
- 22.9 Creep *is a process in time that uses local bounds, i.e. material properties* . . . . . 355
- 22.10 Large Deflections *cannot be discussed. They are impossible with modified Newton unless a search is made in each iteration.* . . . . 355

**Chapter 23 EIGENVALUES AND STRUCTURAL PROBLEMS**

- 23.1 Structural Dynamics, *an easy linearised theory* . . . . . 357
- 23.2 Techniques of Solution – *dynamic response algorithms that people use* . . . . . 358

23.3 Design for Eigenvalues – *Rayleigh’s principle can differentiate a natural frequency with respect to a design change. Optimization* . 360

23.4 Calculation of Eigenvalues – *Wilson’s subspace technique leads to some interesting developments* . . . . . 361

**Part VI SPECULATIONS**

**Chapter 24 NON-STRUCTURAL PROBLEMS**

24.1 The Two Routes ty Hydrodynamics – *A wistful look at energy methods which bypass the Navier-Stokes equations* . . . . . 367

24.2 Creeping Flow – *Stream functions and vector potential* . . . . . 368

24.3 Turbulence: Moving and Fictitious Boundaries – *High Reynolds numbers present philosophical as well as numerical problems* . . . 372

24.4 Green’s Theorem *unfortunately gives no clear physical image. However, it is easily remembered in a very general form* . . . . . 374

24.5 Thermal Conduction *is easy; a teaching vehicle for the Galerkin approach using Green’s theorem* . . . . . 375

24.6 Graphics and Statistics – *A powerful theorem on higher-order splines* . . . . . 377

24.7 Conclusion – *A final plea for methods that yield physical insight* . . . . . 379

**Chapter 25 IMPLICATIONS OF THE PATCH TEST**

25.1 The Ivory Tower – *Pure science may yield dividends eventually* . . 381

25.2 Are These Elements Possible? – *There is no harm in speculating* . 381

25.2.1 The Quadratic Hexagon – *Definitely not possible* . . . 381

25.2.2 The 12-Variable Plate Bending Quadrilateral *has failed the cubic test. We think it will always fail* . . . . 383

25.2.3 The 14-Node Brick and Other Elements, *all three desirable, but all fail a higher patch test, with enough variables to satisfy it. The lure of ‘superpatch’* . . . . . 384

25.3 Boundary Force Theorems – *The nodal tractions are independent of the formulation* . . . . . 385

25.4 Small Element Theorems – *These are tentative but appealing* . . . 386

25.5 Superfluous Nodes, *superfluous that is to the patch test satisfied* . . 386

25.6 Forces on a Side – *These appear to be independent of the formulation, if superfluous nodes are absent* . . . . . 387

25.7 The Mixability Theorem – *If two elements pass a patch test, they can normally be mixed in another patch test* . . . . . 387

25.8 Superpatch elements *appear to be impossible, by their nature* . . . 388

25.9 Valediction – *The end of the exposition* . . . . . 389

## Part VII THEORETICAL DETAILS

### Chapter 26 INTERPOLATION AND NUMERICAL INTEGRATION

26.1	Introduction – <i>part VII is designed for browsing.</i> . . . . .	393
26.2	Interpolation – The Choices. <i>Do present computer capabilities encourage the finite element style of interpolation?</i> . . . . .	393
26.3	Lagrangian Interpolation <i>‘flaps its wings’ near the ends of the interval covered by the data.</i> . . . . .	395
26.4	Numerical Integration <i>as a by-product of polynomial interpolation.</i> . . . . .	396
26.5	The Mechanics of Generating a Simple Rule <i>describes the direct approach</i> . . . . .	398
26.6	Segmental Integration <i>including the Euler-Maclaurin rules.</i> . . . .	399
26.7	Gaussian Integration <i>is very effective, even for a step function</i> . . .	400
26.8	Some Useful Integration Formulae <i>for a simple curve, for cubes, and for triangles</i> . . . . .	403
26.9	Legendre-related Polynomials <i>are successive integrals of <math>P_n(x)</math>. Useful as bubble functions</i> . . . . .	407
26.10	Techniques for Finding Shape Functions – <i>Rescue missions: neutral functions. The Loof case</i> . . . . .	408

### Chapter 27 MATRICES

27.1	Introduction and Definitions – <i>suffixes and symmetry, etc.</i> . . . .	415
27.2	Ordinary Multiplication, <i>definition only</i> . . . . .	417
27.3	Extended Products <i>and the distributive law</i> . . . . .	417
27.4	Suffix Notation <i>and the rule of repeated suffixes.</i> . . . . .	418
27.5	Double-Dot Product, Extended Scalar Products – <i>All the terms in A times all in B. A useful transformation for a triple product</i> . .	418
27.6	Unit Matrix, alias Identity Matrix: <i>the <math>\delta_{ij}</math> of tensors.</i> . . . . .	419
27.7	Matrix Inverse – <i>The pre-inverse equals the post-inverse</i> . . . . .	419
27.8	Inverse Products – <i>Remember to reverse the order</i> . . . . .	419
27.9	Transposed Products – <i>Transpose each, and reverse the order too</i> . . . . .	419
27.10	Quadratic Forms <i>are usually energies.</i> . . . . .	420
27.11	Derivatives of a Quadratic Form <i>are particularly simple</i> . . . . .	420
27.12	Gram-Schmit Orthogonalisation <i>to make vectors mutually perpendicular</i> . . . . .	421
27.13	Positive Definite and Semidefinite Matrices – <i>a most important concept.</i> . . . . .	421
27.14	Matrix Inequalities <i>are a natural by-product</i> . . . . .	422
27.15	Orthogonal Matrices <i>are introduced geometrically</i> . . . . .	422
27.16	Rank <i>is described: nothing is proved, or even argued</i> . . . . .	422
27.17	Rank of Products: <i>a useful result</i> . . . . .	423

27.18 Partitioning, *distinguished from submatrices*. . . . . 423

27.19 Pseudo-Reduction for Triple Products: Strain Energy – *A simple and perennially useful technique*. . . . . 423

27.20 Cost of Equation Solving – *How many multiplications are involved?*. . . . . 424

27.21 Pivoting is needed to solve or invert, if a matrix is not symmetrical. . . . . 424

27.22 Inequality Theorem for Part-Inversion – *Inequalities are preserved – the algebraic proof*. . . . . 425

27.23 Lagrange Multipliers *are developed algebraically*. . . . . 426

27.24 Inversion of Matrices Incorporating Leverage Matrices – *Conditions that non-positive-definite matrices of chapter 16 are nonsingular*. . . . . 427

27.25 Eigenvalues, Eigenvectors *are defined*. . . . . 428

27.26 Rayleigh’s Principle *is proved by a simple argument*. . . . . 428

27.27 The Fried-Tong-Treharne Inequality *for eigenvalues: a useful result peculiar to finite elements*. . . . . 429

27.28 Constraints and Interlaced Eigenvalues *occasionally gives simple bounds*. . . . . 429

27.29 The Power Method: *the idea historically behind the Wilson subspace techniques*. . . . . 430

27.30 Normal Modes – *Eigenvectors are mutually orthogonal in two different ways*. . . . . 430

27.31 Relative Eigenvalues for Rashid in 2D – *This relates to the convergence of a modified Newton procedure in a special case*. . . . . 431

27.32 Relative Eigenvalues of Semidefinite Matrices – *We accept  $\lambda = 0/0$  etc.*. . . . . 431

27.33 Other Eigenvalues Theorems – *Positive, negative and zero  $\lambda$* . . . . . 431

27.34 Matrix Series, *e.g., for the square root of a matrix*. . . . . 432

27.35 Determinants *as the product of the pivots*. . . . . 432

27.36 Real, Imaginary, Complex *as applied to matrices*. . . . . 432

27.37 Hermitian Matrices *are effectively symmetrical, but complex*. . . . . 433

27.38 Hermitian Forms *are like quadratic forms*. . . . . 433

27.39 Mixed Hermitian-Real Forms *still allow more efficient processing*. . . . . 434

27.40 Numerical Conditioning – *A simple example*. . . . . 435

27.41 Scaled Matrices *set an identical conditioning problem when solving or inverting*. . . . . 435

27.42 Notorious Matrices – *with all terms nearly equal: and the Hilbert matrices, with a few specimen pivots*. . . . . 435

**Chapter 28 VECTORS AND DIFFERENTIAL GEOMETRY**

28.1 Vector Addition and Terminology – *Displacement and deflections*. 437

28.2	Scalar Product – <i>The work done by a force</i> . . . . .	437
28.3	Vector Product – <i>Vector area = load due to unit pressure</i> . . . . .	437
28.4	Triple Scalar Product, or Box Product – <i>The volume of a parallelepiped: a determinant also</i> . . . . .	438
28.5	Perspective by Vectors: <i>much easier than with 4X4 matrices</i> . . . . .	439
28.6	Derivatives in an iso-P Brick using the inverse Jacobian matrix to transform to $x,y,z$ . . . . .	441
28.7	Elementary Volume as the integral of a triple scalar product, alias the Jacobian determinant . . . . .	442
28.8	Green's Theorem in the simple case. . . . .	443
28.9	Derivatives in an iso-P Membrane – a 2X2 Jacobian matrix in 3D space . . . . .	443
28.10	Nodal Axes for Layered Shells: <i>an algorithm for erecting nodal and local axes</i> . . . . .	444
28.11	Derivatives in Local Cartesian Axes – <i>The second transformation uses an orthogonal Jacobian matrix</i> . . . . .	445
28.12	Classical and Mindlin Plate Theories – <i>Both emerge from the concept of the layered plate or shell</i> . . . . .	446
28.13	The Iso-P Shell Theory for Semiloof also emerges thus. <i>We attempt to convey these elusive ideas pictorially</i> . . . . .	447
28.14	Area Coordinates. . . . .	451
28.14.1	General Concepts and Notation – <i>Special techniques for first and second derivatives</i> . . . . .	451
28.14.2	Taylor's Series – <i>A simple form, as far as quadratic terms</i> . . . . .	452
28.14.3	x-y Derivatives from L Derivatives <i>including curved iso-P elements</i> . . . . .	453
28.14.4	Local Shell Derivatives <i>involve special axes in the surface, but again a cyclic formula exists</i> . . . . .	455
28.14.5	Plate Bending – <i>A special case, yielding unfamiliar and attractive formulae</i> . . . . .	456
28.14.6	Programming Techniques <i>to economise in the length and number of statements</i> . . . . .	458

## Chapter 29 STRESS AND STRAIN

29.1	Tensile Effects: an Introduction – <i>The stretched wire</i> . . . . .	461
29.2	Shear Effects: an Introduction: <i>shown pictorially</i> . . . . .	462
29.3	The isotropic Moduli in 3D: <i>inversion of the 6X6 modulus matrix</i> . . . . .	462
29.4	Plane Strain is trivial, but see Section 29.6 . . . . .	463
29.5	Plane Stress is less trivial. <i>We must sometimes use the 'wrong' modulus: names are misleading</i> . . . . .	463

29.6	<i>Anisotropic Elasticity is dangerous in practice; anistropy is common in nature. A perversion of plain strain . . . . .</i>	464
29.7	<i>The Stress Matrix – Usually written as a tensor. Our presentation is pictorial . . . . .</i>	465
29.8	<i>The Strain Matrix is argued physically . . . . .</i>	466
29.9	<i>Large Pre-Strains present a worrying philosophical problem. . . . .</i>	468
29.10	<i>Stress and Strain Vectors are a convenience denied to those who use tensors exclusively . . . . .</i>	469
29.11	<i>Strain Energy follows immediately, for small deflections. . . . .</i>	470
29.12	<i>Lagrangian Stresses use this definition for large deflections . . . . .</i>	470
29.13	<i>The Unsymmetrical Stress Matrix gives the correct virtual work in conjunction with changes in the Jacobian matrix . . . . .</i>	471
29.14	<i>The Euler Stress Matrix – Ordinary stresses, giving the expected tractions on a deformed area . . . . .</i>	471
29.15	<i>Incremental Stiffnesses – A laborious tensorial argument . . . . .</i>	472
29.16	<i>Euler Buckling is a simplified form of 29.15 . . . . .</i>	474
29.17	<i>Unit Stress and Strain Vectors – A very useful artifice, and the difference between them is crucial . . . . .</i>	475
29.18	<i>Plastic Flow is Cumulative – A simple thought-experiment establishes that any plasticity law must be cumulative . . . . .</i>	476
29.19	<i>The Plastic Yield Surface – A concept that idealises and to some extent falsifies the response . . . . .</i>	477
29.20	<i>Incremental Strain is normal to Yield Surface – Unit stress and strain vectors. Another thought-experiment . . . . .</i>	478
29.21	<i>Perfect Plasticity, Additional Elastic Strains – A useful fiction, to introduce the incremental modulus matrix . . . . .</i>	479
29.22	<i>The Strain-Hardening Case – In theory, two methods for interpreting a test are acceptable. . . . .</i>	479
29.23	<i>Preferred matrix forms for Elasto-Plastic Modulus – A Lagrange multiplier was used above: now discarded . . . . .</i>	481
29.24	<i>Principal Stresses as Eigenvalues – A method for differentiating a principal stress, by Rayleigh’s principle . . . . .</i>	481
29.25	<i>Some Actual Surfaces which possess extreme symmetry if the material remains isotropic . . . . .</i>	482
29.26	<i>The Bauschinger Effect and Kinematic Hardening – An easy approach to a very complex phenomenon. Materials do not remain isotropic . . . . .</i>	485
<b>SOLUTIONS . . . . .</b>		<b>487</b>
<b>REFERENCES and Author Index . . . . .</b>		<b>511</b>
<b>SUBJECT INDEX . . . . .</b>		<b>523</b>