

Regular and Irregular Holonomic D-Modules

MASAKI KASHIWARA

Research Institute for Mathematical Sciences, Kyoto University

PIERRE SCHAPIRA

Pierre and Marie Curie University, Paris



CAMBRIDGE
UNIVERSITY PRESS

Contents

Introduction	<i>page</i> 1
1 A review on sheaves and D-modules	7
1.1 Sheaves	7
1.2 D-modules	9
2 Indsheaves	18
2.1 Ind-objects	18
2.2 Indsheaves	20
2.3 Ring action	23
2.4 Sheaves on the subanalytic site	26
2.5 Some classical sheaves on the subanalytic site	29
3 Tempered solutions of D-modules	39
3.1 Tempered de Rham and Sol functors	39
3.2 Localization along a hypersurface	42
4 Regular holonomic D-modules	44
4.1 Regular normal form for holonomic modules	44
4.2 Real blow up	48
4.3 Regular Riemann–Hilbert correspondence	51
4.4 Integral transforms with regular kernels	55
4.5 Irregular D-modules: an example	56
5 Indsheaves on bordered spaces	58
5.1 Bordered spaces	58
5.2 Operations	60
6 Enhanced indsheaves	63
6.1 Tamarkin’s construction	63
6.2 Convolution products	64

6.3	Enhanced indsheaves	67
6.4	Operations on enhanced indsheaves	69
6.5	Stable objects	72
6.6	Constructible enhanced indsheaves	74
6.7	Enhanced indsheaves with ring action	77
7	Holonomic D-modules	79
7.1	Exponential D-modules	79
7.2	Enhanced tempered holomorphic functions	80
7.3	Enhanced de Rham and Sol functors	81
7.4	Ordinary linear differential equations and Stokes phenomena	82
7.5	Normal form	86
7.6	Enhanced de Rham functor on the real blow up	88
7.7	De Rham functor: constructibility and duality	89
7.8	Enhanced Riemann–Hilbert correspondence	94
8	Integral transforms	97
8.1	Integral transforms with irregular kernels	97
8.2	Enhanced Fourier–Sato transform	98
8.3	Laplace transform	100
	<i>References</i>	104
	<i>Notations</i>	107
	<i>Index</i>	110