

Contents

| | |
|---|-----|
| <i>Preface</i> | v |
| <i>About the Editor-in-Chief</i> | vii |
| <i>List of Contributors</i> | ix |
| Chapter 1. Flow Boiling of Carbon Dioxide at Low to Medium Reduced Pressures — Part 1. Carbon Dioxide Thermodynamic and Thermophysical Properties | |
| <i>Rita Mastrullo, Alfonso William Mauro, John R. Thome, Giuseppe Peter Vanoli and Luca Viscito</i> | |
| 1. Thermodynamic and Transport Properties of Pure CO ₂ | 1 |
| 2. Thermodynamic and Transport Properties of CO ₂ /Oil Mixtures | 12 |
| References | 19 |
| Chapter 2. Flow Boiling of Carbon Dioxide at Low to Medium Reduced Pressures — Part 2. Flow Pattern Maps and Pressure Drop: Experiments and Prediction Methods | |
| <i>Rita Mastrullo, Alfonso William Mauro, John R. Thome, Giuseppe Peter Vanoli and Luca Viscito</i> | |
| 1. Flow Pattern Maps and Flow Structures | 22 |
| 1.1. Carbon dioxide two-phase flow pattern maps and visualization for circular horizontal tubes | 22 |
| 1.1.1. Experiments of Park and Hrnjak (2007) in a 6.0 mm ID tube | 23 |
| 1.1.2. Experiments of Mastrullo <i>et al.</i> (2012) in a 6.0 mm ID tube | 24 |
| 1.1.3. Experiments of Ozawa <i>et al.</i> (2009, 2011) in tubes of 3.0, 2.0, 1.0 and 0.51 mm | 26 |
| 1.1.4. Experiments of Pettersen (2004) in a 0.98 mm ID tube | 30 |

| | | |
|--------|---|----|
| 1.2. | Carbon dioxide two-phase flow pattern maps and visualization for unconventional geometries | 31 |
| 1.2.1. | Experiments of Schael and Kind (2005) in a 8.62 mm ID micro-fin tube | 31 |
| 1.2.2. | Experiments of Yun and Kim (2004) in a rectangular (2×16) mm ² smooth tube | 32 |
| 1.2.3. | Experiments of Gasche (2006) in a rectangular tube of 0.8 mm equivalent diameter | 35 |
| 1.3. | Flow pattern prediction methods explicitly developed for carbon dioxide | 35 |
| 1.3.1. | Flow pattern map of Cheng <i>et al.</i> (2008) | 36 |
| 1.3.2. | Flow pattern map of Mastrullo <i>et al.</i> (2012) | 39 |
| 2. | CO ₂ Two-Phase Pressure Drop Data and Correlations for Smooth Tubes | 41 |
| 2.1. | Carbon dioxide pressure drop data for circular tubes from 7.75 to 1.42 mm ID | 42 |
| 2.1.1. | Experiments of Oh <i>et al.</i> (2008) for a 7.75 mm ID tube | 42 |
| 2.1.2. | Experiments of Yoon <i>et al.</i> (2004) for a 7.53 mm ID tube | 43 |
| 2.1.3. | Experiments of Park and Hrnjak (2007) for a 6.1 mm ID tube | 44 |
| 2.1.4. | Experiments of Grauso <i>et al.</i> (2014) for a 6.0 mm ID tube | 45 |
| 2.1.5. | Experiments of Oh and Son (2011) for a 4.57 mm ID tube | 46 |
| 2.1.6. | Experiments of Wu <i>et al.</i> (2011) for a 1.42 mm ID tube | 47 |
| 2.2. | Carbon dioxide pressure drop data for unconventional geometries | 49 |
| 2.2.1. | Experiments of Pettersen (2004) in a circular 25-minichannel package of 0.8 mm diameter | 49 |
| 2.3. | Some available correlations for two-phase pressure gradient of carbon dioxide in smooth tubes | 50 |
| 2.3.1. | Prediction method of Yoon <i>et al.</i> (2004) | 51 |
| 2.3.2. | Prediction method of Cheng <i>et al.</i> (2008) | 52 |
| 2.3.3. | Wu <i>et al.</i> (2011) modification of the mist flow friction factor of Cheng <i>et al.</i> (2008) | 55 |

| | |
|---|----|
| 3. Carbon Dioxide Two-Phase Pressure Drop Data and Correlations for Enhanced Tubes | 55 |
| 3.1. Pressure drop data for enhanced tubes from 9.52 to 1.42 mm OD | 56 |
| 3.1.1. Experiments of Cho and Kim (2007) for micro-fin tubes of 9.52 and 5.0 mm OD | 56 |
| 3.1.2. Experiments of Dang <i>et al.</i> (2010) for a micro-fin tube of 2.646 mm OD | 58 |
| 3.1.3. Experiments of Wu <i>et al.</i> (2015) for a multi-port micro-fin tubes of 1.7 mm ID | 59 |
| 3.1.4. State-of-the-art summary on carbon dioxide two-phase pressure drop data in enhanced surfaces | 61 |
| 3.2. CO ₂ two-phase pressure drop correlations for 0° helix angle micro-fin tube | 62 |
| 3.2.1. Prediction method of Wu <i>et al.</i> (2015) | 62 |
| References | 64 |

Chapter 3. Flow Boiling of Carbon Dioxide at Low to Medium Reduced Pressures — Part 3. Heat Transfer: Experiments and Prediction Methods 67

Rita Mastrullo, Alfonso William Mauro, John R. Thome, Giuseppe Peter Vanoli and Luca Viscito

| | |
|---|----|
| 1. Carbon Dioxide Flow Boiling Heat Transfer Data and Correlations for Smooth Tubes | 68 |
| 1.1. Flow boiling heat transfer data for smooth tubes from 11.2 to 6.0 mm ID | 68 |
| 1.1.1. Experiments of Kim <i>et al.</i> (2010) for a 11.2 mm ID tube | 68 |
| 1.1.2. Experiments of Oh <i>et al.</i> (2008) for a 7.75 mm ID tube | 70 |
| 1.1.3. Experiments of Yoon <i>et al.</i> (2004) for a 7.53 mm ID tube | 72 |
| 1.1.4. Experiments of Park and Hrnjak (2007) for a 6.1 mm ID tube | 73 |
| 1.1.5. Experiments of Yun <i>et al.</i> (2003) for a 6.0 mm ID tube | 75 |
| 1.1.6. Experiments of Mastrullo <i>et al.</i> (2009) for a 6.0 mm ID tube | 78 |

| | | |
|---------|--|----|
| 1.1.7. | Experiments of Grauso <i>et al.</i> (2011) for a 6.0 mm ID tube | 78 |
| 1.1.8. | Experiments of Mastrullo <i>et al.</i> (2012) for a 6.0 mm ID tube | 80 |
| 1.1.9. | Experiments of Grauso <i>et al.</i> (2013) for a 6.0 mm ID tube | 80 |
| 1.1.10. | State-of-the-art summary on carbon dioxide two-phase heat transfer coefficient for smooth tubes | 83 |
| 1.2. | Flow boiling heat transfer data for smooth tubes from 4.57 to 0.51 mm ID | 83 |
| 1.2.1. | Experiments of Zhao and Bansal (2007) for a 4.57 mm ID tube | 83 |
| 1.2.2. | Experiments of Oh and Son (2011) for a 4.57 mm ID tube | 83 |
| 1.2.3. | Experiments of Oh <i>et al.</i> (2011) for a 3.0 mm ID tube | 84 |
| 1.2.4. | Experiments of Choi <i>et al.</i> (2007) for a 3.0 mm ID tube | 87 |
| 1.2.5. | Experiments of Zhu <i>et al.</i> (2015) for a 2.0 mm ID tube | 87 |
| 1.2.6. | Experiments of Choi <i>et al.</i> (2007) for a 1.5 mm ID tube | 88 |
| 1.2.7. | Experiments of Wu <i>et al.</i> (2011) for a 1.42 mm ID tube | 90 |
| 1.2.8. | Experiments of Ozawa <i>et al.</i> (2011) for a 1.0 mm ID tube | 91 |
| 1.2.9. | Experiments of Ducoulombier <i>et al.</i> (2011) for a 0.529 mm ID tube | 92 |
| 1.2.10. | Experiments of Ozawa <i>et al.</i> (2011) for a 0.51 mm ID tube | 94 |
| 1.2.11. | State-of-the-art summary on carbon dioxide two-phase heat transfer coefficient for smooth tubes | 96 |
| 1.3. | Carbon dioxide flow boiling heat transfer data in unconventional geometries | 97 |
| 1.3.1. | Experiments of Yun <i>et al.</i> (2005) in rectangular minichannels of equivalent diameters from 1.54 to 1.08 mm | 97 |

| | | |
|--------|---|-----|
| 1.3.2. | Experiments of Pettersen (2004) in a circular 25-minichannel port tube of 0.8 mm | 102 |
| 1.3.3. | Experiments of Gasche (2006) in a rectangular minichannel of 0.8 mm equivalent diameter | 104 |
| 1.3.4. | State-of-the-art summary on carbon dioxide two-phase heat transfer coefficient for unconventional geometries | 104 |
| 1.4. | Available correlations for the two-phase heat transfer coefficient of carbon dioxide in smooth tubes | 105 |
| 1.4.1. | Prediction method of Thome and El Hajal (2004) | 106 |
| 1.4.2. | Prediction method of Yoon <i>et al.</i> (2004) | 107 |
| 1.4.3. | Prediction method of Choi <i>et al.</i> (2007) | 109 |
| 1.4.4. | Prediction method of Cheng <i>et al.</i> (2008b) | 109 |
| 1.4.5. | Prediction method of Oh <i>et al.</i> (2011) | 112 |
| 1.4.6. | Prediction method of Pamitran <i>et al.</i> (2011) | 113 |
| 1.4.7. | Prediction method of Ducoulombier <i>et al.</i> (2011) | 114 |
| 1.4.8. | Prediction method of Zhu <i>et al.</i> (2015) | 115 |
| 2. | Carbon Dioxide Flow Boiling Heat Transfer Data and Correlations for Enhanced Tubes | 116 |
| 2.1. | Flow boiling heat transfer data for enhanced tubes from 9.52 to 1.42 mm OD | 117 |
| 2.1.1. | Experiments of Cho and Kim (2007) for a micro-fin tube of 9.52 mm OD | 117 |
| 2.1.2. | Experiments of Schael and Kind (2005) for a micro-fin tube of 9.52 mm OD | 119 |
| 2.1.3. | Experiments of Zhao and Bansal (2012) for a micro-fin tube of 7.94 mm OD | 122 |
| 2.1.4. | Experiments of Cho and Kim (2007) for a micro-fin tube of 5.0 mm OD | 123 |
| 2.1.5. | Experiments of Dang <i>et al.</i> (2010) for a micro-fin tube of 2.646 mm OD | 125 |
| 2.1.6. | Experiments of Wu <i>et al.</i> (2015) for a multi-port micro-fin tubes of 1.7 mm ID | 129 |
| 2.1.7. | State-of-the-art summary on carbon dioxide two-phase heat transfer coefficient data in enhanced surfaces | 134 |
| 2.2. | CO ₂ flow boiling heat transfer correlations for 0 helix angle micro-fin tube | 134 |
| 2.2.1. | Prediction method of Wu <i>et al.</i> (2015) | 134 |
| | References | 136 |

| | |
|---|------------|
| Chapter 4. Flow Boiling of Carbon Dioxide at Low to Medium Reduced Pressures — Part 4. Effect of Lubricants on Heat Transfer and Pressure Drop | 139 |
| <i>Rita Mastrullo, Alfonso William Mauro, John R. Thome, Giuseppe Peter Vanoli and Luca Viscito</i> | |
| 1. Effect of Oil on Two-Phase Heat Transfer and Pressure Drop of Carbon Dioxide | 139 |
| 1.1. Effect of oil on two-phase heat transfer coefficient of carbon dioxide in tubes from 14 to 2.0 mm ID | 140 |
| 1.1.1. Experiments of Wetzel <i>et al.</i> (2014) for a 14 mm ID smooth tube | 140 |
| 1.1.2. Experiments of Kim <i>et al.</i> (2010) for a 11.2 mm ID smooth tube | 143 |
| 1.1.3. Experiments of Pehlivanoglu <i>et al.</i> (2010) for a 6.1 mm smooth tube | 143 |
| 1.1.4. Experiments of Dang <i>et al.</i> (2013) for 6.0, 4.0 and 2.0 mm ID tubes | 147 |
| 1.1.5. State-of-the-art summary on the effect of oil on carbon dioxide two-phase heat transfer coefficient | 155 |
| 1.2. Effect of oil on two-phase pressure drop of carbon dioxide in tubes from 14 to 2.0 mm ID | 155 |
| 1.2.1. Experiments of Wetzel <i>et al.</i> (2014) for a 14 mm ID smooth tube | 155 |
| 1.2.2. Experiments of Weise <i>et al.</i> (2017) for a 8.62 mm ID micro-fin tube | 158 |
| 1.2.3. Experiments of Pehlivanoglu <i>et al.</i> (2010) for a 6.1 mm smooth tube | 160 |
| 1.2.4. Experiments of Dang <i>et al.</i> (2013) for 6.0, 4.0 and 2.0 mm ID tubes | 161 |
| 1.2.5. State-of-the-art summary on the effect of oil on carbon dioxide two-phase pressure drop | 162 |
| 1.3. Correlations for two-phase flow boiling of carbon dioxide with the presence of oil | 162 |
| 1.3.1. Prediction method of Aiyoshizawa <i>et al.</i> (2006) | 163 |
| 1.3.2. Prediction method of Gao <i>et al.</i> (2008) | 164 |
| 1.3.3. Prediction method of Katsuta <i>et al.</i> (2008) | 164 |
| 1.3.4. Prediction method of Li <i>et al.</i> (2014) | 165 |
| References | 165 |

Chapter 5. Boiling Heat Transfer and Critical Heat Flux Phenomena with Nanofluids: Fundamentals, Mechanisms and Challenges **167**

Lixin Cheng, Guodong Xia and John R. Thome

| | | |
|------|---|------------|
| 1. | Introduction | 168 |
| 2. | Thermal Physical Properties of Nanofluids | 174 |
| 2.1. | Thermal conductivity of nanofluids | 174 |
| 2.2. | Viscosity of nanofluids | 179 |
| 2.3. | Specific heat of nanofluids | 181 |
| 2.4. | Surface tension, contact angle and latent heat of nanofluids | 183 |
| 3. | Nucleate Pool Boiling Heat Transfer and CHF with Nanofluids | 187 |
| 3.1. | Nucleate pool boiling heat transfer and mechanisms with nanofluids | 188 |
| 3.2. | CHF in nucleate pool boiling and mechanisms with nanofluids | 200 |
| 4. | Flow Boiling Heat Transfer and CHF with Nanofluids | 209 |
| 4.1. | Flow boiling heat transfer and CHF with nanofluids in macroscale channels | 209 |
| 4.2. | Flow boiling heat transfer and CHF of nanofluids in microscale channels | 218 |
| 5. | Analysis and Discussion | 222 |
| 6. | Concluding Remarks | 225 |
| | References | 227 |
| | <i>Index</i> | <i>237</i> |