
Contents

Preface	xi
1 Introduction to simultaneous statistical inference	1
1.1 The one-way model	1
1.1.1 Example: treatment \times age combination	2
1.2 Modeling	4
1.3 Simultaneous confidence intervals	7
1.3.1 The Studentized maximum modulus method	7
1.3.2 Example: treatment \times age combination (continued)	9
1.3.3 A product inequality method	10
1.3.4 Example: treatment \times age combination (continued)	12
1.3.5 The Bonferroni inequality method	13
1.3.6 Example: treatment \times age combination (continued)	13
1.3.7 Scheffé's method	14
1.3.8 Example: treatment \times age combination (continued)	16
1.4 Simultaneous testing	16
1.4.1 The Shaffer–Holm stepwise testing method	18
1.5 Unequal variances	20
1.6 Nonparametric methods	21
1.7 Deduced inference versus direct inference	21
1.8 Exercises	22
2 Classification of multiple comparison methods	24
2.1 Types of multiple comparisons inference	24
2.1.1 Direct inference versus deduced inference	26
2.2 Strength of multiple comparisons inference	27
2.2.1 Confidence intervals methods	28
2.2.2 Confident directions methods	28
2.2.3 Confident inequalities methods	29
2.2.4 Tests of homogeneity	29
2.2.5 Individual comparison methods	30
2.3 Inferential tasks of multiple comparison methods	33
2.3.1 Example: effect of smoking on pulmonary health	33
2.3.2 Example: Bovine growth hormone toxicity studies	34

2.4	Choosing a multiple comparison method	36
2.5	Exercises	39
3	Multiple comparisons with a control	43
3.1	One-sided multiple comparisons with a control	43
3.1.1	Balanced one-way model	43
3.1.1.1	Dunnett's method	44
3.1.1.2	The stepdown method of Naik, Marcus, Peritz and Gabriel	45
3.1.1.3	Dunnett and Tamhane's stepup method	50
3.1.2	Example: smoking and pulmonary health (continued)	52
3.1.3	Unbalanced one-way model	54
3.1.3.1	Dunnett's method	55
3.1.3.2	The Miller-Winer method	56
3.1.3.3	Methods based on probabilistic inequalities	57
3.1.4	Example: smoking and pulmonary health (continued)	59
3.2	Two-sided multiple comparisons with a control	60
3.2.1	Balanced one-way model	60
3.2.1.1	Dunnett's method	60
3.2.2	Example: bovine growth hormone safety (continued)	61
3.2.3	Unbalanced one-way model	63
3.2.3.1	Dunnett's method	63
3.2.3.2	The Miller-Winer method	64
3.2.3.3	Methods based on probabilistic inequalities	65
3.2.4	Example: human food safety of recombinant insulin- like growth factor-I (rIGF-I)	66
3.3	Nonparametric methods	67
3.3.1	Pairwise ranking methods	69
3.3.2	Joint ranking methods	73
3.4	Other approaches to stepwise testing	75
3.5	Appendix: detailed proofs	76
3.5.1	Proof of the validity of the stepdown method	76
3.5.2	Proof of the validity of the stepup method	78
3.6	Exercises	79
4	Multiple comparisons with the best	81
4.1	Constrained multiple comparison with the best	82
4.1.1	Balanced one-way model	83
4.1.2	Example: insect traps	86
4.1.3	Comparison with the sample best	87
4.1.4	Unbalanced one-way model	89
4.1.5	Example: SAT scores	94
4.1.6	Connection with bioequivalence	95
4.1.7	Connection with ranking and selection	100

4.2	Unconstrained multiple comparisons with the best	103
4.2.1	Balanced One-way Model	103
4.2.1.1	Deduction from all-pairwise comparisons	103
4.2.1.2	The Edwards–Hsu method	105
4.2.2	Example: insect traps (continued)	107
4.2.3	Comparison with the sample best	108
4.2.4	Unbalanced one-way model	109
4.2.4.1	Deduction from all-pairwise comparisons	110
4.2.4.2	The Edwards–Hsu method	111
4.2.5	Example: SAT scores (continued)	113
4.3	Nonparametric methods	115
4.4	Exercises	116
5	All-pairwise comparisons	119
5.1	Balanced one-way model	119
5.1.1	Tukey’s method	119
5.1.2	Bofinger’s confident directions method	121
5.1.3	Hayter’s one-sided comparisons	123
5.1.4	Multiple range tests	125
5.1.4.1	Newman–Keuls multiple range test	127
5.1.4.2	The Methods of Ryan, Einot and Gabriel, and Welsch	128
5.1.4.3	Duncan’s multiple range test	129
5.1.5	Scheffé’s method	130
5.1.6	A general stepdown testing scheme, with application to multiple F -tests	132
5.1.7	The closed testing method, with applications to closed multiple range tests	137
5.1.8	Fisher’s least significant difference methods	139
5.1.9	Example: insect traps	140
5.2	Unbalanced one-way model	144
5.2.1	The Tukey–Kramer method	145
5.2.1.1	Graphical representation of the Tukey– Kramer method	146
5.2.2	Hayter’s method	153
5.2.3	Scheffé’s method	154
5.2.4	Stepdown tests	157
5.2.5	The Miller–Winer method	158
5.2.6	Fisher’s least significant difference methods	158
5.2.7	Methods based on probabilistic inequalities	159
5.2.8	Example: SAT scores	160
5.3	Nonparametric methods	165
5.3.1	Pairwise ranking methods	165
5.3.2	Joint ranking methods	168

5.4	Exercises	170
6	Abuses and misconceptions in multiple comparisons	175
6.1	Not adjusting for multiplicity	175
6.2	Inflation of strength of inference	175
6.3	Conditional inference	177
6.4	Post hoc comparisons	179
6.5	Recommendations	180
7	Multiple comparisons in the general linear model	181
7.1	Models with one-way structure	185
7.1.1	Variance-balanced designs	187
7.1.2	Orthogonal designs	188
7.1.2.1	Two-way model with proportional cell frequencies	188
7.1.2.2	One-way ANCOVA model with different slopes	191
7.1.2.3	Example: Pooling batches in drug stability studies	192
7.2	Multiple comparisons with a control	195
7.2.1	Deterministic approximation methods	197
7.2.1.1	Methods based on probabilistic inequalities	197
7.2.1.2	The factor analytic method	200
7.2.1.3	The linear programming method	204
7.2.2	Stochastic approximation methods	209
7.2.2.1	The method of Edwards and Berry	209
7.2.2.2	A variance reduction method	210
7.2.2.3	Example: blood pressure in dogs	210
7.3	Multiple comparisons with the best	213
7.4	All-pairwise comparisons	215
7.4.1	Methods based on probabilistic inequalities	216
7.4.2	Stochastic approximation methods	218
7.5	Scheffé's method for all contrasts	218
7.6	Nonparametric methods	220
7.6.1	Pairwise ranking methods based on signed ranks	220
7.6.2	Joint ranking methods based on Friedman rank sums	222
7.7	Two-way mixed models	223
7.8	One-way repeated measurement models	225
7.9	Exercises	226
A	Some useful probabilistic inequalities	227
A.1	An inequality for conditionally independent random variables	227
A.2	The Bonferroni inequality	228

A.3	Slepian's inequality	228
A.4	Šidák's inequality	229
A.5	The Hunter–Worsley Inequality	229
B	Some useful geometric lemmas	231
B.1	Projecting spheres	231
B.2	Projecting rectangles	233
B.3	Deriving confidence sets by pivoting tests	233
C	Sample size computations	236
C.1	Sample size computation for Tukey's MCA method	237
C.2	Sample size computation for MCB	238
C.3	Sample size computation for Dunnett's MCC method	240
C.4	An Example	240
D	Accessing computer codes	243
D.1	Online access to codes	243
D.2	Critical value computations	243
D.3	Sample size computations	244
E	Tables of critical values	245
	Bibliography	258
	Author index	271
	Subject index	274