

FORTSCHRITT-
BERICHTE **VDI**

M. Sc. Torben Birker, Essen

New Developments in Structural Optimization Using Optimality Criteria

Reihe **18**: Mechanik/
Bruchmechanik

Nr. **199**

Table of contents

Acknowledgements.....	III
Table of contents.....	IV
Notation.....	VIII
Abstract.....	X
Introduction.....	1
1 Least-weight trusses with displacement constraints.....	4
1.1 Problem formulation and notation.....	5
1.2 Solution for one active displacement constraint.....	8
1.2.1 Feasible regions for the cost function W_j	10
1.2.2 Solution for one active compliance constraint – special case.....	11
1.3 Solution for two active displacement constraints.....	12
1.3.1 Feasible regions for the cost function W_{jk}	13
1.4 Relations between the weight functions W_j and W_{jk}	13
1.5 Illustrative examples of optimal layouts for two-bar trusses.....	14
1.5.1 Optimal solution with one active displacement constraint.....	14
1.5.2 Optimal solution with two active displacement constraints.....	18
1.6 Exact optimal solution using optimality criteria.....	21
1.6.1 Optimality criteria for a discretized solution.....	21
1.6.2 Optimality criteria for a continuum-type solution.....	24
1.7 Illustrative examples of exact least-weight trusses.....	26
1.7.1 Exact optimal solution for one active displacement constraint.....	26
1.7.2 Exact optimal solution for two active displacement constraints.....	29
1.7.3 Evaluation of the results.....	31
1.8 Concluding remarks.....	34
2 Least-weight trusses with combined displacement and stress constraints.....	35
2.1 Problem formulation and notation.....	35
2.2 Solution for active displacement constraint.....	37

2.2.1	Feasible regions for the cost function W_1	38
2.3	Solution for active displacement and stress constraints.....	38
2.3.1	Feasible regions for the cost function W_{1a}	39
2.3.2	Solution for active displacement and stress in “b”-bar constraints ..	40
2.4	Solution for active stress constraints.....	41
2.4.1	Feasible regions for the cost function W_{ab}	42
2.5	Relations between the cost functions W_1 , W_{1a} , W_{1b} and W_{ab}	42
2.6	Illustrative examples of optimal layouts for two-bar trusses	44
2.6.1	Optimal solution with active displacement and stress constraints...	44
2.6.2	Optimal solution with active stress constraints.....	48
2.7	Exact optimal solution using optimality criteria	52
2.7.1	Optimality criteria for a discretized solution.....	52
2.7.2	Optimality criteria for a continuum-type solution	54
2.8	Illustrative examples of exact least-weight trusses.....	54
2.8.1	Exact optimal solution for combined active constraints.....	55
2.8.2	Exact optimal solution for active stress constraints.....	58
2.8.3	Evaluation of the results	58
2.9	Concluding remarks	61
3	General formulation of the DCOC method	66
3.1	Problem formulation.....	66
3.2	Principle of the DCOC method	69
3.3	Generalization of the DCOC method	72
3.4	Problems with several active local constraints	74
3.4.1	The Kreisselmeier-Steinhauser function.....	76
3.5	Computational solution algorithm.....	78
3.5.1	Preprocessing.....	78
3.5.2	Finite element computations	78
3.5.3	Determination of global Lagrange multipliers	81
3.5.4	Updating of design variables	83
3.5.5	Convergence check of control regions	85
3.5.6	Determination of local Lagrange multipliers	85
3.5.7	Convergence check of design variables	86
3.5.8	Postprocessing	86
3.6	Concluding remarks	86
4	Application to trusses	87
4.1	Two-bar least-weight trusses.....	87

4.1.1	Two-bar truss with one active displacement constraint.....	90
4.1.2	Two-bar truss with two active displacement constraints.....	92
4.1.3	Two-bar truss with active displacement and stress constraints.....	92
4.1.4	Two-bar truss with active stress constraints.....	94
4.2	Truss layout based on design codes.....	94
4.2.1	Requirements according to Eurocode no. 3.....	95
4.2.2	Truss layout with linear increasing cross-sectional areas.....	97
4.2.3	Truss layout with standardized cross-sectional areas.....	101
4.2.4	Illustrative example: 10-bar truss.....	105
4.2.5	Illustrative example: 31-bar truss.....	107
4.3	Concluding remarks.....	108
5	Application to plane stress plates.....	111
5.1	Problem formulation.....	111
5.2	Affect of element type.....	114
5.3	Affect of penalty factor.....	116
5.4	Affect of initial layout.....	117
5.5	Concluding remarks.....	119
6	Extensions to other continua.....	121
6.1	Application to bending plates.....	121
6.1.1	Example: Clamped square plate.....	125
6.1.2	Example: Simple supported square plate.....	126
6.1.3	Example: Simple/free supported square plate.....	127
6.1.4	Example: Simple/free supported rhombic plate.....	128
6.2	Application to three-dimensional continua.....	129
6.2.1	Illustrative example: Pyramid.....	131
6.2.2	Illustrative example: 3-D beam.....	131
6.3	Concluding remarks.....	132
	Conclusions.....	134
	Appendices	
A	Lagrange function and Kuhn-Tucker necessary conditions.....	136
A.1	Lagrange function.....	136
A.2	Kuhn-Tucker necessary conditions.....	139
B	Optimal bar orientations for two-bar trusses.....	141

B.1	Bar angles for a truss with one displacement constraint	141
B.2	Bar angles for a truss with two displacement constraints	144
C	Element library	146
C.1	Space truss element	146
C.2	Constant strain triangle – plane stress	148
C.3	Isoparametric plane element – plane stress	150
C.4	Isoparametric Mindlin plate element	153
C.5	Isoparametric solid element	155
	References	158